



# Suppliers of Equipment to the Energy Industry in the Past, Present and Future



WATER FINDING PASTE

SEALANTS

CAMLOCK FITTINGS

SEMI-ROTARY PUMPS

TREACLE GATES

CAST IRON SOLID BUSH

DOWNDRAFT VENTS

OFFSET ADAPTORS

## Other Equipment

Shipman King has a range of other equipment that includes, Semi-Rotary Hand Pumps, Camlock Fittings, Water Finding Paste, Sealants, and Treacle Gates to name a few.



## Water Finding Paste



Water contamination in fuel tanks can ruin valuable product, causing loss of inventory and profit. SAR-GEL Blue water finding paste was developed for quick and reliable detection of water in the bottom of tanks containing petrol, E10 petrol, diesel, jet fuel, fuel oil, biodiesel, solvents and other materials incompatible with water.

Product Code	Description
MSSARGEL	28g Tube Sargel Paste

## Sealants



Shipman King stock the Mega Poxy 69 two-part epoxy sealant in a 4 litre kit.

This translucent clear non-sag gel type epoxy is ideal for structural bonding of materials of metals to metals and retains its high strength after repeated high impact forces.

Product Code	Description
MSMEG69	Megapoxy 69 – 4 Litre Kit

## Camlock Fittings



Shipman King stocks a range of Camlock Fittings for use in various applications including Aboveground Storage Tanks, DEF/AdBlue installations and industrial applications.

We stock different sizes made of die cast aluminium or stainless steel. The Camlock adaptor can be supplied with male or female BSP threads and standard or lockable dust caps.

A sample of the different sizes are shown below.

Product Code	Description
GCA100F	100mm (4") Camlock Adaptor with Female BSP Thread
GCA100M	100mm (4") Camlock Adaptor with Male BSP Thread
GCADC100	100mm (4") Camlock Dust Cap
GCADC100L	100mm (4") Camlock Cust Cap – Lockable
GCA50MSS	50mm (2") Stainless Steel Camlock Adaptor with Male BSP
GCADC50SSL	50mm (2") Stainless Steel Camlock Dust Cap Lockable

### NEED ASSISTANCE WITH THESE PRODUCTS?

call our office and we will connect you with a team member who can help. 03 9459 9900

[www.shipmanking.com.au](http://www.shipmanking.com.au)



## Semi Rotary Hand Pumps

The Sigma range of Semi-Rotary Hand Pumps are suitable to handle liquids such as water, petrol, diesel, paraffin, alcohol, light chemical solutions and are the only hand pumps safe for use with hot liquids, up to 80 C (176 F). The Sigma Semi-Rotary Hand Pumps are used in a variety of industries including agriculture, petro-chemical, defence, construction, and are used by diesel engine manufacturers. The simple and robust design, quality of materials and workmanship, guarantee long and effective services.

Product Code	Description
SMSR1-0	12mm (½") Semi-Rotary 1-0 Cast-Iron Pump
SMSR1	20mm (¾") Semi-Rotary 1 Cast-Iron Pump
SMSR2	25mm (1") Semi-Rotary 2 Cast-Iron Pump
SMSR3	32mm (1 ¼") Semi-Rotary 3 Cast-Iron Pump
SMSR5	40mm (1 ½") Semi-Rotary Cast-Iron Pump
SMSR7	50mm (2") Semi-Rotary Cast-Iron Pump
SMSRB1	20mm (¾") Semi-Rotary 1 Bronze Pump
SMSRB2	25mm (1") Semi-Rotary 2 Bronze Pump
SPSRH1	K1 Semi-Rotary Pump Handle
SPSRH2	K2 Semi-Rotary Pump Handle
SPSRH3	K3 Semi-Rotary Pump Handle
SPSRH5	K5 Semi-Rotary Pump Handle
SPSRH7	K7 Semi-Rotary Pump Handle



## Treacle Gates

Our Australian Made Treacles Gates are constructed out of Cast-Iron a with precision fitted brass spring-loaded slide, provision for padlocking and is ideal for high viscosity fluids being dispensed out of a drum.

Product Code	Description
SMTGS50	50mm (2") Cast-Iron Treacle Gate



## Cast Iron Solid Bush

The 100mm x 50mm Cast Iron Solid Bush can be used when installing a syphon line between two underground tanks.

Product Code	Description
F-SB100	100mm (4") x 50mm (2") Cast Iron Solid Bush

### NEED ASSISTANCE WITH THESE PRODUCTS?

call our office and we will connect you with a team member who can help. 03 9459 9900

[www.shipmanking.com.au](http://www.shipmanking.com.au)

## Downdraft Vents



The Downdraft Vents are a double outlet, "T" or Mushroom style vent that are used to direct the vapour flow downwards.

Product Code	Description
FTAV	25mm (1") Downdraft Vent
FTAV2D	50mm (2") Downdraft Vent
FTAV3D	75mm (3") Downdraft Vent

## Offset Adaptors



The Offset Adaptors are designed to simplify dispenser or suction pump installations where slight piping misalignment occurs.

Product Code	Description
AMB63540	40mm (1 1/2") BSP Offset

### NEED ASSISTANCE WITH THESE PRODUCTS?

call our office and we will connect you with a team member who can help. 03 9459 9900

[www.shipmanking.com.au](http://www.shipmanking.com.au)