



Suppliers of Equipment to the Energy Industry in the Past, Present and Future



PLX PIPE & FITTINGS

UNDERPUMP CONTAINMENT SUMPS

TRANSITION SUMPS

FLEXIBLE ENTRY SEALS

SPILL CONTAINMENT BOXES

SPILL CONTAINMENT BOXES SPARE PARTS

EMCO SINGLE CONTAINMENT SPILL BOX

VALVE MANIFOLD BOXES

MIDAS ELBOW & ACCESSORIES

SGB LEAK DETECTION SYSTEM

MANWAY COVERS & ACCESSORIES


FIBREGLASS PIPE

ADAPTOR PLATES

ESKAY PIPELINE DETECTOR TAPE

Piping & Containment Equipment

Complementing our range of Underpump Containment Sumps and Spill Containment Boxes, Shipman King has stocked and distributed the Aliaxis PLX Polyethylene Pipe and Fittings for over 25 years.





PLX Pipe and Fittings


Aliaxis PLX is a high performance multi layered polyethylene composite pipe system supplied in either single wall or secondary contained and uses fusion welded fittings for the greatest joint integrity. It is suitable for use with unleaded fuels, E85 fuels, diesel, bio diesel and fuel oils.

PLX is commonly used in service station forecourts but can be used in any industry wherever liquid fuels are conveyed. UV resistant, corrosion resistant, abrasion resistant and abuse resistant, the PLX pipe system comes with a 30-year design life.

Consult the PLX catalogue for the different size pipes and full range of fittings. We have listed only a sample of Product Codes and Descriptions.

Product Code	Description
DU43626308	32mm (1") PLX Pipe – 6m
DU43624413	32/40mm Secondary Contained PLX Pipe – 50m Coil
DU43614310	50mm (1 ½") PLX Pipe – 50m Coil
DU43624444	50/63mm Secondary Contained PLX Pipe – 50m Coil
DU43626311	63mm (2") PLX Pipe – 6m
DU43614311	63mm PLX Pipe – 50m
DU43559018	63/75mm Secondary Contained PLX Pipe – 8m
DU43624445	63/75mm Secondary Contained PLX Pipe – 50m Coil
DU43649445	63/75mm Secondary Contained PLX Pipe – 100m Coil
DU43609313	90mm (3") PLX Fill/Vent Pipe – 6m
DU43609314	110mm (4") PLX Fill/Vent Pipe – 6m
DU43664446	90/110mm Secondary Contained PLX Pipe – 6m
DU43664447	110/125mm Secondary Contained PLX Pipe – 6m

Transition Sumps



The Shipman King Transition Sumps allows underground pipework to be connected to aboveground pipework or to have access to a valve or fittings. Manufactured out of polyethylene with a galvanised frame and 6mm aluminium floor plate, the Transition Sumps come in three different sizes and can be supplied with or without the aluminium lid.

Product Code	Description
PUPTS560	Transition Pit with Lid – 560 x 390 x 620mm Deep
PUPTS790	Transition Pit with Lid – 790 x 690 x 600mm Deep
PUPTS1140	Transition Pit with Lid – 1140 x 690 x 700mm Deep
PUPTS790WL	Transition Pit without Lid – 790 x 690 x 600mm Deep
PUPTS1140WL	Transition Pit without Lid – 1140 x 690 x 700mm Deep

NEED ASSISTANCE WITH THESE PRODUCTS?

call our office and we will connect you with a team member who can help. 03 9459 9900

www.shipmanking.com.au



Underpump Containment Sumps

The market leading Shipman King Underpump Containment Sumps are a simple and effective way of containing spills that may occur under Dispenser and Pumping units. Completely manufactured in Australia to meet Australian conditions, the sumps are supplied assembled with a galvanised steel base to suit the various pumps and dispensers on today's market. All dispenser bases are provided with shear valve mounting bars which are adjustable in all directions to allow for accurate alignment. Most sumps are straight walled which allows for the sump to be cut down if depth becomes an issue.

Contact us for more information on the different types of Underpump Containment Sumps we manufacture for the industry. We have listed only a sample of Product Codes and Descriptions.

Product Code	Description
PUPDWH58S	Wayne Helix 5000 8 Hose Pump Frame & Poly Sump
PUPDWH68P	Wayne Helix 6000 8 Hose Disp. Frame & Poly Sump
PUPGFRSS	Gilbarco Frontier Pump Frame & Poly Sump
PUPGHZMK2PS	Gilbarco Horizon MK 2 Disp. Frame & Poly Sump
PUPGSK708P	Gilbarco SK700 8 Hose Disp. Frame & Poly Sump
PUPPULX8P	Pulse LX 8 Hose Dispenser Frame & Poly Sump
PUPSAN568S	Sanki 56 8 Hose Pump Frame & Poly Sump
PUPCLPS	Compac Laser Dispenser Frame & Poly Sump



Flexible Entry Seals

The Shipman King range of Flexible Entry Seals is diverse in types and sizes. We have a range of Screwseals, Boltseals and Electrofusion Seals that covers all pipe sizes and sealing surfaces.


All designed for ease of installation, the range of Flexible Entry Seals offered will ensure we can supply the appropriate Seal for the correct application.

Product Code	Description
DU43470308	32mm PLXE Conduit Electrofusion Entry Seal
DU43470445	63/75mm PLX Pipe Electrofusion Entry Seal
SS1075	20mm Screwseal
SS1100	32mm Screwseal
SS1125	40mm Screwseal
SS1150F	50mm Screwseal – Flat Surface
SS1150B	50mm Boltseal
SS1200F	63mm Screwseal – Flat Surface
SS1200B	63mm Boltseal
SS1250F	75mm Screwseal – Flat Surface
SS1250B	75mm Boltseal
SS1300B	90mm Boltseal
SS1400B	110mm Boltseal
SS1500B	120mm Boltseal
SS1600B	160mm Boltseal

NEED ASSISTANCE WITH THESE PRODUCTS?

call our office and we will connect you with a team member who can help. 03 9459 9900

www.shipmanking.com.au



Spill Containment Boxes

The Shipman King Browning Spill Safe Boxes have evolved over the years as industry requirements have changed. Whilst the heavy-duty galvanised frame has remained the same, inner catchment sumps now come in a variety of combinations. The Spill Safe Boxes can be supplied with individual inner sumps to ensure no product contamination occurs, they can be supplied with a polyethylene sump under the Spill Box to terminate secondary contained fill pipe and add another layer of containment, or they can be supplied with a spill tray around the individual inner sumps to direct any runoff water to a separator tank.

Contact us for more information on the different types of Spill Safe Boxes we manufacture for the industry. We have listed only a sample of Product Codes and Descriptions.

Product Code	Description
MBXBSS-1	Single Fill Point Spill Safe Box
MBXBSS-2VR	2 Fill Point + VR Spill Safe Box
MBXBIS-3VR	3 Individual Fill Sumps + VR Spill Safe Box
MBXBSh-4VR	4 Individual Fill Sumps + VR Spill Box with Spill Tray
MBXDCSPB-5VR	5 Fill + VR DC Spill Safe Box Fitted out with Pipe
MBXDCSS-6VR	6 Fill + VR DC Spill Box plus Sensor Sump



Spill Containment Boxes Spare Parts

A variety of Spare Parts and Signage is also available for the Shipman King Browning Spill Safe Boxes.

Product Code	Description
SPBXWB-C	100mm Convolved Boot C/W 4" & 7" Hose Clamps
SPBXWB3	75mm Convolved Boot C/W 3" & 7" Hose Clamps
SPBXWB-CV	100mm Viton Convolved Boot C/W 4" & 7" Hose Clamps
SPBXV-BB	Spill Box Big Boy Valve
SPBXFCT-S	650mm Long Spill Box Flexible Connecting Tube
SPBXFCT	1000mm Long Spill Box Flexible Connecting Tube
SPBXGSS100	100mm Gal Steel Socket with welded 25mm socket
SPBXGSS80	80mm Gal Steel Socket with welded 25mm socket
SPBXSSE100	100mm Stainless Steel Elbow with welded 25mm socket
SPXBT100	100mm Flat Flange Spill Box Boot - no holes
SPXBT75	75mm Flat Flange Spill Box Boot - no holes
SPBXFVS	Spill Box Foot Valve Sign
SPBXSTS	Spill Box Siphon Tank Sign
SPBRECT	Spill Box Electrical Continuity to Earth Tag
SPBXE	Spill Box Earth Kit

NEED ASSISTANCE WITH THESE PRODUCTS?

call our office and we will connect you with a team member who can help. 03 9459 9900

www.shipmanking.com.au



EMCO Single Containment Spill Box

The EMCO Single Containment Spill Box is generally used on direct fills but can also be used in remote fill applications. Commonly referred to as a Spill Bucket, the EMCO Spill Box is manufactured out of polyethylene with a cast-iron rim and lid.

Product Code	Description
MBXEMCO	EMCO Spill Containment Single Point Box



Valve Manifold Boxes

The Valve Manifold Boxes are the outer heavy-duty galvanised frame from our Spill Safe Boxes. They are available in various sizes with different number of lids.

Product Code	Description
MBXVM500	500mm x 500mm Valve Manifold Box – 1 lid
MBXVM900	900mm x 500mm Valve Manifold Box – 2 lid
MBXVM1200	1200mm x 500mm Valve Manifold Box – 3 lid
MBXVM1600	1600mm x 500mm Valve Manifold Box – 4 lid
MBXVM2000	2000mm x 500mm Valve Manifold Box – 5 lid



Midas Elbow and Accessories

The EMCO Single Containment Spill Box is generally used on direct fills but can also be used in remote fill applications. Commonly referred to as a Spill Bucket, the EMCO Spill Box is manufactured out of polyethylene with a cast-iron rim and lid.

Product Code	Description
MID2-A057	Berrys MIDAS Side Clip Hydrant Elbow
MID2SC-338	Berrys MIDAS Elbow Protective Jacket
MID2SC-354	Berrys MIDAS Magnetic RFID Diesel Key – Green
MID2SC-355	Berrys MIDAS Magnetic RFID PULP Key – Yellow
MIDSC-356	Berrys MIDAS Magnetic RFID Unleaded Key – Purple
MID2SC-363	Berrys MIDAS Magnetic RFID Hi Octane Key – Blue

NEED ASSISTANCE WITH THESE PRODUCTS?

call our office and we will connect you with a team member who can help. 03 9459 9900

www.shipmanking.com.au



SGB Leak Detection System

The SGB Leak Detection unit is a vacuum leak detector for the continuous monitoring of double walled pipes. If a leak occurs in either the secondary or primary pipe, the unit will sound an alarm before the product enters the environment. The one unit can monitor multiple lines using different size manifolds to connect the various pipelines.

Product Code	Description
SGB087410-042	SGB Leak Detector VLR 410/E Plastic Housing – 240V
SGB087412-29	SGB Leak Detector VLR 410/E Plastic Housing – 24V
SGB1915131	SGB Installation Kit for VLR 410/E
SGB195131	SGB Single Line Vacuum Gauge
SGB195231	SGB 2 Exit Manifold
SGB195331	SGB 3 Exit Manifold
SGB195431	SGB 4 Exit Manifold
SGB195531	SGB 5 Exit Manifold
SGB195631	SGB 6 Exit Manifold
SGB195731	SGB 7 Exit Manifold
SGB195831	SGB 8 Exit Manifold
SGB190725	SGB Install Kit for Pipes – per line
SGB2003000	SGBVLR 410/E Vacuum Pump Only
SGB260510	PA Hose 8mm – per metre
SGB344147	SGB Vacuum Gauge



Fibreglass Pipe and Fittings

Shipman King stock a range of NOV Smith Fibreglass Pipe and Fittings to enable repair and alterations to occur on existing fibreglass pipe systems.


Listed is some of the more popular fittings used and stocked by Shipman King. Shaving equipment can be hired on request.

Product Code	Description
FG50BELM	50mm Bell Male BSP Adaptor
FG50BELF	50mm Bell Female BSP Adaptor
FG50ELB90	50mm 90 Degree Elbow
FG80BELM	80mm Bell Male BSP Adaptor
FG100COUP	100mm Coupler
FG100SPIGM	100mm Spiggot Male BSP Adaptor
FG100SPIGF	100mm Spiggot Female BSP Adaptor
FGADH6	6oz Adhesive

NEED ASSISTANCE WITH THESE PRODUCTS?

call our office and we will connect you with a team member who can help. 03 9459 9900

www.shipmanking.com.au



Manway Covers and Accessories

Shipman King stocks a range of Buchanan Manway Cover components such as O-Rings, Toby's, Toby Lifters and can source the different replacement covers or complete manways on request.

We also stock a Composite Cover that is light, easy to install and cost competitive. This cover has a Class D load rating.

Product Code	Description
MBXOR1	D-Seal to suit Manway Cover
MBXOR2	O-Ring to suit 360mm Toby
MBXOR3	O-Ring to suit 250mm Toby
MBX250T	250mm Diameter Toby Cover
MBX360T	360mm Diameter Toby Cover
MBXTOBL	Aluminium Manway Toby Lifter
MBXCOV	B1000NT No Toby Aluminium Manway Cover Only
MBXCOVT	B1000CT Centre Toby Aluminium Manway Cover Only
MBXCOVTT	B1000TT Twin Toby Aluminium Manway Cover Only
MBXCOVLPG	B1130 LPG Aluminium Manway Cover Only
MBXMAN	B1000NT Manway and Ring
MBXMANT	B1000CT Manway with Centre Toby and Ring
MBXMANTT	B1000TT Manway with Twin Toby and Ring
MBXLPG	B1130 LPG Manway and Ring
MBXMAN-C	Composite Manhole Cover with Handle



Adaptor Plates

Shipman King has an adaptor plate to suit all your Pump and Dispenser changeovers. Laser cut out of 8mm plate; the adaptor plates are designed to be fixed to the existing Underpump Containment Sump frame, and then incorporate holes or studs to suit the new pump or dispenser to be bolted down.

The Adaptor Plates are made to order due to the large number of different combinations and come in a black steel finish.

Product Code	Description
PUPADPLARGE	Large Adaptor Plate
PUPADPSMALL	Small Adaptor Plate
UPCROSS	Cross Bar to suit our Underpump Containment Sumps



Eskay Pipeline Detector Tape

The Eskay Pipeline Detector Tape is manufactured from high strength rot resistant green homopolymer plastic mesh. It contains a 0.7mm AISI 316 grade stainless steel tracer wire with the Warning message printed in black. The width is 200mm and the Tape comes in 200m rolls.

Product Code	Description
DU43DETAPE	Eskay Pipeline Detector Tape – 200m Roll

NEED ASSISTANCE WITH THESE PRODUCTS?

call our office and we will connect you with a team member who can help. 03 9459 9900

www.shipmanking.com.au